

Express Mail No. EL963273288US ELM/002 Cont. 4

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

: Glenn J. Leedy

Application No. : 10/672,961

Confirmation No.: 9439

Filed

: September 26, 2003

For

: THREE DIMENSIONAL STRUCTURE INTEGRATED

CIRCUIT

Examiner

: Not yet assigned

Group Art Unit : 2811

New York, New York 10020

September 23, 2004

Mail Stop Amendment Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with 37 C.F.R. §§ 1.56 and 1.97, applicants wish to call the attention of the Examiner to the following documents:

U.S. Patent Documents

| Foster | 2,915,722 | 12/01/59 |
|----------------|-----------|----------|
| Farrand | 3,202,948 | 08/24/65 |
| Lesk | 3,559,282 | 02/02/71 |
| Burkhardt | 3,560,364 | 02/02/71 |
| Emmasingel | 3,602,982 | 09/07/71 |
| Medicus | 3,615,901 | 10/26/71 |
| Napoli et al. | 3,716,429 | 02/13/73 |
| Krishna et al. | 3,777,227 | 12/14/73 |
| Kuipers | 3,868,565 | 02/25/75 |
| Yerman | 3,922,705 | 11/25/75 |
| Wanlass | 3,997,381 | 12/14/76 |
| Stein | 4,070,230 | 01/24/78 |
| | | |

| Greenwood et al. | 4,131,985 | 01/02/79 |
|--------------------|----------------|----------|
| Hauser, Jr. et al. | 4,142,004 | 02/27/79 |
| Hoeberechts | 4,251,909 | 02/24/81 |
| Kubacki | 4,262,631 | 04/21/81 |
| Shioya et al. | 4,394,401 | 07/19/83 |
| Trenkler et al. | 4,401,986 | 08/30/83 |
| Thomas et al. | 4,416,054 | 11/22/83 |
| Shibata | 4,500,905 | 02/19/85 |
| Takaqi et al. | 4,539,068 | 09/03/85 |
| Reid et al. | 4,585,991 | 04/29/86 |
| Yasumoto et al. | 4,612,083 | 09/16/86 |
| Belanger et al. | 4,617,160 | 10/14/86 |
| Shimizu et al. | 4,618,397 | 10/21/86 |
| Schmitz | 4,618,763 | 10/21/86 |
| Christensen | 4,663,559 | 05/05/87 |
| Burns et al. | 4,684,436 | 08/04/87 |
| Hatada | 4,693,770 | 09/15/87 |
| Maeda et al. | 4,702,336 | 10/27/87 |
| Seibert et al. | 4,702,936 | 10/27/87 |
| Go | 4,706,166 | 11/10/87 |
| Stevenson | 4,721,938 | 01/26/88 |
| Reid | 4,761,681 | 08/02/88 |
| Holmen et al. | 4,784,721 | 11/15/88 |
| Freeman | 4,810,673 | 03/07/89 |
| Mattox et al. | 4,825,277 | 04/25/89 |
| Tam et al. | 4,857,481 | 08/15/89 |
| Wang, et al. | 4,892,753 | 01/09/90 |
| Clements | 4,897,708 | 01/30/90 |
| Leedy | 4,924,589 | 05/15/90 |
| Kato, et al. | 4,939,568 | 07/03/90 |
| Borel et al. | 4,940,916 | 07/10/90 |
| Borel et al. | Re B14,940,916 | 11/26/96 |
| Vranish et al. | 4,950,987 | 08/21/90 |
| Lee et al. | 4,952,446 | 08/18/90 |
| Rokos | 4,954,865 | 09/04/90 |
| Shinomiya | 4,957,882 | 09/18/90 |
| Young et al. | 4,965,415 | 10/23/90 |
| Mauger | 4,966,663 | 10/30/90 |
| Haisma et al. | 4,983,251 | 01/08/91 |
| Leedy | 4,994,735 | 02/19/91 |
| Wang, et al. | 5,000,113 | 03/19/91 |
| Keogh et al. | 5,008,619 | 04/16/91 |
| | | |

| Allen et al. | 5,010,024 | 04/23/91 |
|---------------------|--------------|----------|
| Leedy | 5,020,219 | 06/04/91 |
| Leedy | 5,034,685 | 07/23/91 |
| Greenwald et al. | 5,070,026 | 12/03/91 |
| Findler et al. | 5,071,510 | 12/10/91 |
| Machado et al. | 5,098,865 | 03/24/92 |
| Leedy | 5,103,557 | 04/14/92 |
| Mauger | 5,110,373 | 05/05/92 |
| Eichelberger | 5,111,278 | 05/05/92 |
| Chan et al. | | 05/05/92 |
| | 5,116,777 | |
| Miller | 5,130,894 | 07/14/92 |
| Roy | 5,132,244 | 07/21/92 |
| Hadwin | 5,151,775 | 09/29/92 |
| Henager, Jr. et al. | 5,156,909 | 10/20/92 |
| Zimmerman | 5,203,731 | 04/20/93 |
| Leedy | 5,225,771 | 07/06/93 |
| Bower et al. | 5,236,118 | 08/17/93 |
| Linglain, et al. | 5,240,458 | 08/31/93 |
| Bantien | 5,259,247 | 11/09/93 |
| Bureau et al. | 5,262,351 | 11/16/93 |
| Bertin et al. | 5,270,261 | 12/14/93 |
| Sanders | 5,273,940 | 12/28/93 |
| Tuckerman | 5,274,270 | 12/28/93 |
| Chebi et al. | 5,279,865 | 01/18/94 |
| Nakanishi et al. | 5,284,796 | 02/08/94 |
| Leedy | 5,323,035 | 06/21/94 |
| Wojnarowski | 5,324,687 | 06/28/94 |
| Leedy | 5,354,695 | 10/11/94 |
| MacDonald | 5,363,021 | 11/08/94 |
| Goossen | 5,385,632 | 01/31/95 |
| Nelson et al. | 5,385,909 | 01/31/95 |
| Fujii et al. | RE 34,893 | 04/04/95 |
| Shimoji | 5,420,458 | 05/30/95 |
| Miyake | 5,424,920 | 06/13/95 |
| Finnila | 5,426,072 | 06/20/95 |
| Akagi et al. | 5,426,363 | 06/20/95 |
| Yasohama et al. | 5,432,444 | 07/11/95 |
| Carson et al. | 5,432,729 | 07/11/95 |
| Hauck et al. | 5,434,500 | 07/11/95 |
| Leedy | 5,451,489 | 09/19/95 |
| Leedy | 5,453,404 | 09/26/95 |
| Gurtler et al. | 5,457,879 | 10/17/95 |
| | 5, 15, 10, 5 | 10/1//33 |

| Naruse | 5,476,813 | 12/19/95 |
|----------------------------|------------------------|----------------------|
| Gates | 5,489,554 | 02/06/96 |
| Bertin et al. | 5,502,667 | 03/26/96 |
| Leedy | . 5,512,397 | 04/30/96 |
| Pati et al. | 5,527,645 | 06/18/96 |
| Koskenmaki et al. | 5,529,829 | 06/25/96 |
| Frye et al. | 5,534,465 | 07/09/96 |
| Toshiaki et al. | 5,555,212 | 09/10/96 |
| Ramm et al. | 5,563,084 | 10/08/96 |
| Leedy | 5,571,741 | 11/05/96 |
| Leedy | 5,580,687 | 12/03/96 |
| Ludwig et al. | 5,581,498 | 12/03/96 |
| Pierrat | 5,582,939 | 12/10/96 |
| Hornbeck | 5,583,688 | 12/10/96 |
| Leedy | 5,592,007 | 01/07/97 |
| Leedy | 5,592,018 | 01/07/97 |
| Heijboer | 5,595,933 | 01/21/97 |
| Noda | 5,606,186 | 02/25/97 |
| Tennant et al. | 5,627,112 | 05/06/97 |
| Leedy | 5,629,137 | 05/13/97 |
| Leedy | 5,633,209 | 05/27/97 |
| Val | 5,637,536 | 06/10/97 |
| Leedy | 5,654,127 | 08/05/97 |
| Leedy | 5,654,220 | 08/05/97 |
| Hudak et al. | 5,656,552 | 08/12/97 |
| Chen et al. | 5,675,185 | 10/07/97 |
| Ohara et al. | 5,694,588 | 12/02/97 |
| Leedy | 5,725,995 | 03/10/98 |
| Weise et al. | 5,750,211 | 05/12/98 |
| Bozso et al. | 5,760,478 | 06/02/98 |
| Okonogi | 5,773,152 | 06/30/98 |
| Rolfson | 5,786,116 | 07/28/98 |
| Zavracky et al. | 5,793,115 | 08/11/98 |
| Ray | 5,831,280 | 11/03/98 |
| Leedy | 5,834,334 | 11/10/98 |
| Leedy | 5,840,593 | 11/24/98 |
| Ito et al. Sotokawa et al. | 5,856,695 5,868,949 | 01/05/99 |
| Leedy | 5,869,354 | 02/09/99 02/09/99 |
| Sweatt et al. | 5,870,176 | 02/09/99 |
| Davidson | 5,880,010 | 03/09/99 |
| Field et al. | 5,882,532 | 03/16/99 |
| Hübner | 5,902,118 | 05/11/99 |
| | | |

| Leedy | 5,915,167 | 06/22/99 |
|----------------|--------------|----------|
| Leedy | 5,946,559 | 08/31/99 |
| Leedy | 5,985,693 | 11/16/99 |
| Cutter et al. | 5,998,069 | 12/07/99 |
| Leedy | 6,008,126 | 12/28/99 |
| Leedy | 6,020,257 | 02/01/00 |
| Wang, et al. | RE 36,623 | 03/21/00 |
| Houston | 6,045,625 | 04/04/00 |
| Adamic, Jr. | 6,084,284 | 07/04/00 |
| Brix, et al. | 6,087,284 | 07/11/00 |
| Gardner et al. | 6,097,096 | 08/01/00 |
| Leedy | 6,133,640 | 10/17/00 |
| Tayanaka | 6,194,245 B1 | 02/27/01 |
| Aleshin et al. | 6,197,456 B1 | 03/06/01 |
| Leedy | 6,208,545 B1 | 03/27/01 |
| Patti | 6,236,602 B1 | 05/22/01 |
| Lin | 6,261,728 B1 | 07/17/01 |
| Leedy | 6,288,561 B1 | 09/11/01 |
| Leedy | 6,294,909 B1 | 09/25/01 |
| Momohara | 6,518,073 | 02/11/03 |

Foreign Patent Documents

| DE | 32 33 195 | 03/1983 | Germany |
|----|------------|---------|---------|
| JP | 60-74643 | 04/1985 | Japan |
| JP | S60-126871 | 07/1985 | Japan |
| ΕP | 0 189 976 | 08/1986 | EPO |
| JP | S63-229862 | 09/1988 | Japan |
| JP | H01-199476 | 09/1988 | Japan |
| 26 | 41129 | 12/1988 | France |
| EP | 0 314 437 | 05/1989 | EPO |
| GB | 2,215,168 | 09/1989 | UK |
| JP | 402027600A | 01/1990 | Japan |
| JP | 02-082564 | 03/1990 | Japan |
| JP | H03-284871 | 12/1991 | Japan |
| WO | 92/03848 | 03/1992 | PCT |
| JP | 04-076946 | 03/1992 | Japan |
| JP | 04-083371 | 03/1992 | Japan |
| JP | 04-107964 | 04/1992 | Japan |
| JP | 04-196263 | 07/1992 | Japan |
| | | | |

| EP 0 731 525 | 09/1996 | EPO |
|--------------|---------|-----|
| WO 98/19337 | 05/1998 | PCT |
| WO 01/05366 | 01/2001 | PCT |

Other Documents

Aboaf, J.A., "Stresses in SiO_2 Films Obtained from the Thermal Decomposition of Tetraethylorthosilicate - Effect of Heat Treatment and Humidity," J. Electrochem. Soc.: Solid State Science; 116(12): 1732-1736 (Dec. 1969).

Scheuerman, R.J., "Fabrication of Thin Dielectric Films with Low Internal Stresses," J. Vac. Sci. and Tech., 7(1): 143-146 (1970).

Bailey, R., "Glass for Solid-State Devices: Glass film has low intrinsic compressive stress for isolating active layers of magnetic-bubble and other solid-state devices," NASA Tech Brief (1982).

Alloert, K., et al., "A Comparison Between Silicon Nitride Films Made by PCVD of N_2 -SiH₄ /Ar and N_2 -SiH₄/He," Journal of the Electrochemical Society, Vol. 132, No. 7, pp. 1763-1766, (July 1985).

Nguyen, S.V., "Plasma Assisted Chemical Vapor Deposited Thin Films for Microelectronic Applications, *J. Vac. Sci. Technol.* Vol. B4, No. 5, pp. 1159-1167, (Sep/Oct. 1986).

Wolf, Stanley, "Basics of Thin Films," Silicon Processing for the VLSI Era, pp. 115, 192, 193, and 199 (1986).

Knolle, W.R., et al., "Characterization of Oxygen-Doped, Plasma-Deposited Silicon Nitride," *Journal of the Electrochemical Society*, Vol. 135, No. 5, pp. 1211-1217, (May 1988).

Olmer, et al., "Intermetal Dielectric Deposition by Plasma Enhanced Chemical Vapor Deposition," Fifth IEEE/CHMT International Electronic Manufacturing Technology Symposium -Design-to-Manufacturing Transfer Cycle," pp. 98-99 (1988).

"Partitioning Function and Packaging of Integrated Circuits for Physical Security of Data," IBM Technical Disclosure Bulletin, IBM Corp.; 32(1): 46-49 (June 1989).

Hsieh, et al., "Directional Deposition of Dielectric Silicon Oxide by Plasma Enhanced TEOS Process," 1989 Proceedings, Sixth International IEEE VLSI Multilevel Interconnection Conference, pp. 411-415 (1989).

Runyan, W.R., "Deposition of Inorganic Thin Films,"

Semiconductor Integrated Circuit Processing Technology, p. 142

(1990).

Hendricks, et al., "Polyquinoline Coatings and Films: Improved Organic Dielectrics for IC's and MCM's," *Eleventh IEEE/CHMT International Electronics Manufacturing Technology Symposium*, "pp. 361-265 (1991).

Tessier, et al., "An Overview of Dielectric Materials for Multichip Modules," SPE, Electrical & Electronic Div.; (6): 260-269 (1991).

Treichel, et al., "Planarized Low-Stress Oxide/Nitride Passivation for ULSI Devices," J. Phys IV, Colloq. (France), 1 (C2): 839-846 (1991).

Vossen, John L., "Plasma-Enhanced Chemical Vapor Deposition," Thin Film Processes II, pp. 536-541 (1991).

Sze, S.M., "Surface Micromachining," Semiconductor Sensors, pp. 58-63 (1994).

Krishnamoorthy, et al., "3-D Integration of MQW Modulators Over Active Submicron CMOS Circuits: 375 Mb/s Transimpedance Receiver -Transmitter Circuit," IEEE Photonics Technology Letters, 2(11): 1288-1290 (November 1995).

Tielert, et al., "Benefits of Vertically Stacked Integrated Circuits for Sequential Logic," IEEE, XP-000704550, 121-124 (December 5, 1996).

"IC Tower Patent: Simple Technology Receives Patent on the IC Tower, a Stacked Memory Technology," http://www.simpletech.com/whatsnew/memory/@60824.htm (1998).

"Miniature Electron Microscopes Without Vacuum Pumps, Self-Contained, Microfabricated Devices with Short Working Distances, Enable Operation in Air," NASA Tech Briefs, 39-40 (1998).

Partial European Search Report for Application No. EP 02009643 (October 8, 2002).

Copies of the aforementioned documents, which are listed on the accompanying Form PTO-1449 (submitted in duplicate), except U.S. patents and U.S. patent application publications (1276 OG 55), are enclosed herewith.

It is respectfully requested that these documents be (1) fully considered by the Patent and Trademark Office during examination of this application; and (2) printed on any patent which may issue on this application. Applicants request that a copy of Form PTO-1449, as considered and initialed by the Examiner, be returned with the next communication.

This Statement is being submitted more than three months from the application filing date but before the mailing date of the first Office Action on the merits.

In accordance with 37 C.F.R. § 1.97(b)(3), submission of this Statement requires no fee. However, if for any reason a fee is due, the Director is hereby authorized to charge payment of any fees required in connection with this Information Disclosure Statement to Deposit Account No. 06-1075. A duplicate copy of this statement is transmitted herewith.

An early and favorable action is respectfully requested.

Respectfully submitted,

Jeffrey D. Muller Registration No. 52,056

Agent for Applicants

Fish & Neave

Customer No. 1473

1251 Avenue of the Americas

New York, New York 10020

Tel.: (212) 596-9000 Fax: (212) 596-9090

9



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

: Glenn J. Leedy

Application No. : 10/672,961

Confirmation No.: 9439

Filed

: September 26, 2003

For

: THREE DIMENSIONAL STRUCTURE INTEGRATED

CIRCUIT

Examiner

: Not yet assigned

Group Art Unit

: 2811

New York, New York 10020 September 23, 2004

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

EXPRESS MAIL CERTIFICATION

"Express Mail" Mailing Label No. EL963273288US Date of Deposit: September 23, 2004

I hereby certify that this certification and the following papers and fees:

- 1. Information Disclosure Statement (in duplicate);
- 2. Form PTO-1449 (in duplicate);
- 3. Copies of forty-one (41) cited references; and
- 4. Return postcard

are being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" service under 37 C.F.R. § 1.10 on the date indicated above and are addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450.

Lillian Garcia

OIPE

SEP 2 3 2004

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.

ELM/002 Cont. 4

APPLICANTS
Glenn J. Leedy

APPLN. NO.

10/672,961

CONF. NO.

9439

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

FILING DATE
September 26, 2003
GROUP ART UNIT
2811

EMADEMARKO

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|--------------------|----------|--------------------|-------|----------|----------------------------------|
| | 2,915,722 | 12/01/59 | Foster | 336 | 115 | |
| • | 3,202,948 | 08/24/65 | Farrand | 336 | 115 | |
| | 3,559,282 | 02/02/71 | Lesk | 438 | 113 | |
| | 3,560,364 | 02/02/71 | Burkhardt | 324 | 207.12 | |
| | 3,602,982 | 09/07/71 | Emmasingel | 29 | 577 | |
| | 3,615,901 | 10/26/71 | Medicus | 148 | 11.5 R | |
| | 3,716,429 | 02/13/73 | Napoli et al. | 156 | 17 | |
| | 3,777,227 | 12/14/73 | Krishna et al. | 257 | 578 | |
| | 3,868,565 | 02/25/75 | Kuipers | 324 | 207.26 | |
| | 3,922,705 | 11/25/75 | Yerman | 357 | 26 | |
| | 3,997,381 | 12/14/76 | Wanlass | 156 | 3 | |
| | 4,070,230 | 01/24/78 | Stein | 156 | 657 | |
| | 4,131,985 | 01/02/79 | Greenwood et al. | 29 | 580 | |
| | 4,142,004 | 02/27/79 | Hauser, Jr. et al. | 438 | 792 | |
| | 4,251,909 | 02/24/81 | Hoeberechts | 29 | 580 | |
| | 4,262,631 | 04/21/81 | Kubacki | 118 | 723MP | |
| | 4,394,401 | 07/19/83 | Shioya et al. | 427 | 574 | |
| | 4,401,986 | 08/30/83 | Trenkler et al. | 340 | 870.32 | |
| | 4,416,054 | 11/22/83 | Thomas et al. | 29 | 572 | |
| | 4,500,905 | 02/19/85 | Shibata | 357 | 68 | |
| | 4,539,068 | 09/03/85 | Takagi et al. | 156 | 614 | |
| | 4,585,991 | 04/29/86 | Reid et al. | 324 | 158 P | |
| | 4,612,083 | 09/16/86 | Yasumoto et al. | 156 | 633 | |
| | 4,617,160 | 10/14/86 | Belanger et al. | 264 | 40.1 | |
| | 4,618,397 | 10/21/86 | Shimizu et al. | 156 | 628 | |
| | 4,618,763 | 10/21/86 | Schmitz | 250 | 211R | |
| | 4,663,559 | 05/05/87 | Christensen | 313 | 336 | |

EXAMINER

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

| ATTY. DOCKET NO. ELM/002 Cont. 4 | APPLN. NO. 10/672,961 |
|-------------------------------------|------------------------------|
| APPLICANTS Glenn J. Leedy | CONF. NO. 9439 |
| FILING DATE September 26, 2003 | GROUP ART UNIT |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|---------------------|--------------------|----------|----------------|-------|----------|----------------------------------|
| | 4,684,436 | 08/04/87 | Burns et al. | 216 | 65 | |
| | 4,693,770 | 09/15/87 | Hatada | 156 | 151 | |
| | 4,702,336 | 10/27/87 | Maeda et al. | 180 | 197 | |
| | 4,702,936 | 10/27/87 | Seibert et al. | 427 | 583 | |
| | 4,706,166 | 11/10/87 | Go | 361 | 403 | |
| | 4,721,938 | 01/26/88 | Stevenson | 338 | 4 | |
| | 4,761,681 | 08/02/88 | Reid | 357 | 68 | |
| | 4,784,721 | 11/15/88 | Holmen et al. | 156 | 647 | |
| | 4,810,673 | 03/07/89 | Freeman | 438 | 386 | |
| | 4,825,277 | 04/25/89 | Mattox et al. | 257 | 639 | *** |
| | 4,857,481 | 08/15/89 | Tam et al. | 438 | 619 | |
| | 4,892,753 | 01/09/90 | Wang, et al. | 427 | 579 | |
| | 4,897,708 | 01/30/90 | Clements | 257 | 690 | |
| | 4,924,589 | 05/15/90 | Leedy | 438 | 6 | |
| | 4,939,568 | 07/03/90 | Kato, et al. | 357 | 75 | |
| | 4,940,916 | 07/10/90 | Borel et al. | 313 | 306 | |
| | Re B14,940,916 | 11/26/96 | Borel et al. | 315 | 306 | |
| | 4,950,987 | 08/21/90 | Vranish et al. | 324 | 207.23 | |
| | 4,952,446 | 08/18/90 | Lee et al. | 428 | 220 | |
| | 4,954,865 | 09/04/90 | Rokos | 257 | 378 | - |
| | 4,957,882 | 09/18/90 | Shinomiya | 438 | 65 | |
| | 4,965,415 | 10/23/90 | Young et al. | 200 | 83 N | , |
| | 4,966,663 | 10/30/90 | Mauger | 205 | 656 | |
| | 4,983,251 | 01/08/91 | Haisma et al. | 438 | 3 | |
| | 4,994,735 | 02/19/91 | Leedy | 324 | 158 | |
| | 5,000,113 | 03/19/91 | Wang, et al. | 118 | 723 | |
| | 5,008,619 | 04/16/91 | Keogh et al. | 324 | 207.17 | |
| | 5,010,024 | 04/23/91 | Allen et al. | 438 | 659 | |

EXAMINER

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

| ATTY. DOCKET NO. ELM/002 Cont. 4 | APPLN. NO. 10/672,961 |
|-------------------------------------|------------------------------|
| APPLICANTS Glenn J. Leedy | CONF. NO. 9439 |
| FILING DATE September 26, 2003 | GROUP ART UNIT |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|--------------------|----------|---------------------|-------|----------|----------------------------------|
| | 5,020,219 | 06/04/91 | Leedy | 29 | 846 | |
| | 5,034,685 | 07/23/91 | Leedy | 324 | 158 F | |
| | 5,070,026 | 12/03/91 | Greenwald et al. | 437 | 3 | |
| | 5,071,510 | 12/10/91 | Findler et al. | 156 | 647 | |
| | 5,098,865 | 03/24/92 | Machado et al. | 438 | 788 | |
| | 5,103,557 | 04/14/92 | Leedy | 29 | 832 | |
| | 5,110,373 | 05/05/92 | Mauger | 148 | 33.2 | |
| | 5,111,278 | 05/05/92 | Eichelberger | 357 | 75 | |
| | 5,116,777 | 05/26/92 | Chan et al. | 438 | 234 | |
| - | 5,130,894 | 07/14/92 | Miller | 361 | 393 | |
| | 5,132,244 | 07/21/92 | Roy | 438 | 477 | |
| | 5,151,775 | 09/29/92 | Hadwin | 357 | 80 | |
| | 5,156,909 | 10/20/92 | Henager, Jr. et al. | 428 | 334 | |
| | 5,203,731 | 04/20/93 | Zimmerman | 445 | 24 | <u> </u> |
| | 5,225,771 | 07/06/93 | Leedy | 324 | 158 | |
| | 5,236,118 | 08/17/93 | Bower et al. | 228 | 193 | |
| | 5,240,458 | 08/31/93 | Linglain, et al. | 464 | 63 | |
| | 5,259,247 | 11/09/93 | Bantien | 73 | 718 | |
| | 5,262,351 | 11/16/93 | Bureau et al. | 437 | 183 | |
| | 5,270,261 | 12/14/93 | Bertin et al. | 437 | 209 | - |
| | 5,273,940 | 12/28/93 | Sanders | 437 | 209 | · |
| | 5,274,270 | 12/28/93 | Tuckerman | 257 | 758 | |
| | 5,279,865 | 01/18/94 | Chebi et al. | 427 | 574 | |
| | 5,284,796 | 02/08/94 | Nakanishi et al. | 437 | 183 | |
| | 5,323,035 | 06/21/94 | Leedy | 257 | 48 | <u> </u> |
| | 5,324,687 | 06/28/94 | Wojnarowski | 437 | 225 | |
| | 5,354,695 | 10/11/94 | Leedy | 438 | 411 | |

EXAMINER

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

| ATTY. DOCKET NO. ELM/002 Cont. 4 | APPLN. NO. 10/672,961 |
|-------------------------------------|------------------------------|
| APPLICANTS Glenn J. Leedy | CONF. NO. 9439 |
| FILING DATE September 26, 2003 | GROUP ART UNIT |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|---------------------|--------------------|----------|-------------------|-------|----------|----------------------------|
| | 5,363,021 | 11/08/94 | MacDonald | 315 | 366 | |
| | 5,385,632 | 01/31/95 | Goossen | 156 | 630 | |
| | 5,385,909 | 01/31/95 | Nelson et al. | 514 | 291 | |
| | RE 34,893 | 04/04/95 | Fujii et al. | 257 | 419 | |
| | 5,420,458 | 05/30/95 | Shimoji | 257 | 622 | |
| | 5,424,920 | 06/13/95 | Miyake | 361 | 735 | |
| | 5,426,072 | 06/20/95 | Finnila | 437 | 208 | |
| | 5,426,363 | 06/20/95 | Akagi et al. | 324 | 239 | |
| | 5,432,444 | 07/11/95 | Yasohama et al. | 324 | 240 | |
| | 5,432,729 | 07/11/95 | Carson et al. | 365 | 63 | |
| | 5,434,500 | 07/18/95 | Hauck et al. | 324 | 67 | |
| | 5,451,489 | 09/19/95 | Leedy | 430 | 313 | |
| | 5,453,404 | 09/26/95 | Leedy | 437 | 203 | |
| | 5,457,879 | 10/17/95 | Gurtler et al. | 29 | 895 | |
| | 5,476,813 | 12/19/95 | Naruse | 437 | 132 | |
| | 5,489,554 | 02/06/96 | Gates | 437 | 208 | |
| | 5,502,667 | 03/26/96 | Bertin et al. | 365 | 51 | |
| | 5,512,397 | 04/30/96 | Leedy | 430 | 30 | |
| | 5,527,645 | 06/18/96 | Pati et al. | 430 | 5 | |
| | 5,529,829 | 06/25/96 | Koskenmaki et al. | 428 | 167 | |
| | 5,534,465 | 07/09/96 | Frye et al. | 437 | 209 | |
| | 5,555,212 | 09/10/96 | Toshiaki et al. | 365 | 200 | |
| | 5,563,084 | 10/08/96 | Ramm et al. | 437 | 51 | |
| | 5,571,741 | 11/05/96 | Leedy | 437 | 51 | |
| | 5,580,687 | 12/03/96 | Leedy | 430 | 5 | |
| | 5,581,498 | 12/03/96 | Ludwig et al. | 365 | 63 | |
| <u>-</u> | 5,582,939 | 12/10/96 | Pierrat | 430 | 5 | |

EXAMINER

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

| ATTY. DOCKET NO. ELM/002 Cont. 4 | APPLN. NO. 10/672,961 |
|-------------------------------------|------------------------------|
| APPLICANTS Glenn J. Leedy | CONF. NO. 9439 |
| FILING DATE September 26, 2003 | GROUP ART UNIT |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|--------------------|----------|-----------------|-------|----------|----------------------------------|
| | 5,583,688 | 12/10/96 | Hornbeck | 359 | 291 | |
| | 5,592,007 | 01/07/97 | Leedy | 257 | 347 | |
| | 5,592,018 | 01/07/97 | Leedy | 257 | 619 | |
| | 5,595,933 | 01/21/97 | Heijboer | 439 | 20 | |
| | 5,606,186 | 02/25/97 | Noda | 257 | 226 | |
| | 5,627,112 | 05/06/97 | Tennant et al. | 438 | 113 | |
| | 5,629,137 | 05/13/97 | Leedy | 430 | 313 | - |
| | 5,633,209 | 05/27/97 | Leedy | 435 | 228 | |
| | 5,637,536 | 06/10/97 | Val | 438 | 686 | |
| | 5,654,127 | 08/05/97 | Leedy | 430 | 315 | |
| | 5,654,220 | 08/05/97 | Leedy | 438 | 25 | |
| | 5,656,552 | 08/12/97 | Hudak et al. | 438 | 15 | |
| | 5,675,185 | 10/07/97 | Chen et al. | 257 | 774 | |
| | 5,694,588 | 12/02/97 | Ohara et al. | 395 | 566 | |
| | 5,725,995 | 03/10/98 | Leedy | 430 | 315 | |
| | 5,750,211 | 05/12/98 | Weise et al. | 427 | 579 | |
| | 5,760,478 | 06/02/98 | Bozso et al. | 257 | 777 | |
| | 5,773,152 | 06/30/98 | Okonogi | 428 | 446 | |
| | 5,786,116 | 07/28/98 | Rolfson | 430 | 5 | |
| | 5,793,115 | 08/11/98 | Zavracky et al. | 257 | 777 | := := |
| | 5,831,280 | 11/03/98 | Ray | 257 | 48 | |
| | 5,834,334 | 11/10/98 | Leedy | 438 | 107 | |
| | 5,840,593 | 11/24/98 | Leedy | 438 | 6 | |
| | 5,856,695 | 01/05/99 | Ito et al. | 257 | 370 | |
| | 5,868,949 | 02/09/99 | Sotokawa et al. | 216 | 18 | |
| | 5,869,354 | 02/09/99 | Leedy | 438 | 110 | |
| | 5,870,176 | 02/09/99 | Sweatt et al. | 355 | 53 | |
| I | 5,880,010 | 03/09/99 | Davidson | 438 | 455 | |

EXAMINER

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

| ATTY. DOCKET NO. ELM/002 Cont. 4 | APPLN. NO. 10/672,961 |
|-------------------------------------|------------------------------|
| APPLICANTS Glenn J. Leedy | CONF. NO. 9439 |
| FILING DATE September 26, 2003 | GROUP ART UNIT |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|---------------------|--------------------|----------|----------------|-------|----------|----------------------------------|
| | 5,882,532 | 03/16/99 | Field et al. | 216 | 2 | |
| | 5,902,118 | 05/11/99 | Hübner | 438 | 106 | |
| | 5,915,167 | 06/22/99 | Leedy | 438 | 108 | |
| | 5,946,559 | 08/31/99 | Leedy | 438 | 157 | |
| | 5,985,693 | 11/16/99 | Leedy | 438 | 107 | |
| | 5,998,069 | 12/07/99 | Cutter et al. | 430 | 5 | |
| | 6,008,126 | 12/28/99 | Leedy | 438 | 667 | |
| | 6,020,257 | 02/01/00 | Leedy | 438 | 626 | |
| | RE 36,623 | 03/21/00 | Wang, et al. | 427 | 579 | |
| | 6,045,625 | 04/04/00 | Houston | 148 | 33.3 | |
| | 6,084,284 | 07/04/00 | Adamic, Jr. | 257 | 506 | |
| | 6,087,284 | 07/11/00 | Brix, et al. | 501 | 69 | |
| | 6,097,096 | 08/01/00 | Gardner et al. | 257 | 777 | |
| | 6,133,640 | 10/17/00 | Leedy | 257 | 778 | |
| | 6,194,245 B1 | 02/27/01 | Tayanaka | 438 | 57 | |
| | 6,197,456 B1 | 03/06/01 | Aleshin et al. | 430 | 5 | |
| | 6,208,545 B1 | 03/27/01 | Leedy | 365 | 51 | |
| | 6,236,602 B1 | 05/22/01 | Patti | 365 | 201 | |
| | 6,261,728 B1 | 07/17/01 | Lin | 430 | 30 | |
| | 6,288,561 B1 | 09/11/01 | Leedy | 324 | 760 | |
| | 6,294,909 B1 | 09/25/01 | Leedy | 324 | 207.17 | |
| | 6,518,073 | 02/11/03 | Momohara | 438 | 4 | 12/10/2001 |

FOREIGN PATENT DOCUMENTS

| EXAMINER DOCUMENT NUMBER | DOCUMENT | DATE | COUNTRY | UNTRY | LASS SUBCLASS | TRANSLATION | |
|--------------------------|---------------|---------|---------|-------|---------------|-------------|----|
| | NUMBER | | | | | YES | NO |
| | DE 32 33 195 | 03/1983 | Germany | | | | |
| | JP 60-74643 | 04/1985 | Japan | | | | |
| | JP S60-126871 | 07/1985 | Japan | | | | |

EXAMINER

DATE CONSIDERED

2811

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

OR APPLICANT

ATTY. DOCKET NO. ELM/002 Cont. 4

APPLICANTS
Glenn J. Leedy

FILING DATE

GROUP ART UNIT

September 26, 2003

FOREIGN PATENT DOCUMENTS

| EP 0 189 976 | 08/1986 | EPO | | | |
|------------------|---------|--------|---|--|--|
| JP S63-229862 | 09/1988 | Japan | | | |
| JP H01-199476 | 09/1988 | Japan | | | |
| 2641129 | 12/1988 | France | | | |
| EP 0 314 437 | 05/1989 | EPO | | | |
| GB 2,215,168 | 09/1989 | UK | | | |
| JP 402027600A | 01/1990 | Japan | | | |
| JP 02-082564 | 03/1990 | Japan | | | |
| JP H03-284871 | 12/1991 | Japan | | | |
| WO 92/03848 | 03/1992 | PCT | | | |
| JP 04-076946 | 03/1992 | Japan | | | |
| JP 04-083371 | 03/1992 | Japan | | | |
| JP 04-107964 | 04/1992 | Japan | | | |
| JP 04-196263 | 07/1992 | Japan | | | |
| EP 0 731 525 | 09/1996 | EPO | | | |
| WO 98/19337 | 05/1998 | PCT | 1 | | |
| WO 01/05366 | 01/2001 | PCT | | | |

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|------------------|---|
| | Aboaf, J.A., "Stresses in SiO ₂ Films Obtained from the Thermal Decomposition of Tetraethylorthosilicate – Effect of Heat Treatment and Humidity," J. Electrochem. Soc.: Solid State Science; 116(12): 1732-1736 (Dec. 1969). |
| | Scheuerman, R.J., "Fabrication of Thin Dielectric Films with Low Internal Stresses," J. Vac. Sci. and Tech., 7(1): 143-146 (1970). |
| | Bailey, R., "Glass for Solid-State Devices: Glass film has low intrinsic compressive stress for isolating active layers of magnetic-bubble and other solid-state devices," NASA Tech Brief (1982). |
| | Alloert, K., et al., "A Comparison Between Silicon Nitride Films Made by PCVD of N ₂ -SiH ₄ /Ar and N ₂ -SiH ₄ /He," <i>Journal of the Electrochemical Society</i> , Vol. 132, No. 7, pp. 1763-1766, (July 1985). |
| , | Nguyen, S.V., "Plasma Assisted Chemical Vapor Deposited Thin Films for Microelectronic Applications, J. Vac. Sci. Technol. Vol. B4, No. 5, pp.1159-1167, (Sep/Oct. 1986). |

EXAMINER

DATE CONSIDERED

| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. ELM/002 Cont. 4 | APPLN. NO. 10/672,961 |
|---|---|-------------------------------------|------------------------------|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | APPLICANTS Glenn J. Leedy | CONF. NO. 9439 |
| | TATEMENT DI AFFEIGANI | FILING DATE September 26, 2003 | GROUP ART UNIT 2811 |

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | OTHER DOCOMENTS (including Author, Title, Date, Pertinent Pages, Etc.) |
|---------------------|--|
| | Wolf, Stanley, "Basics of Thin Films," Silicon Processing for the VLSI Era, pp. 115, 192, 193, and 199 (1986). |
| | Knolle, W.R., et al., "Characterization of Oxygen-Doped, Plasma-Deposited Silicon Nitride," <i>Journal of the Electrochemical Society</i> , Vol. 135, No. 5, pp. 1211-1217, (May 1988). |
| | Olmer, et al., "Intermetal Dielectric Deposition by Plasma Enhanced Chemical Vapor Deposition," Fifth IEEE/CHMT International Electronic Manufacturing Technology Symposium - Design-to-Manufacturing Transfer Cycle," pp. 98-99 (1988). |
| | "Partitioning Function and Packaging of Integrated Circuits for Physical Security of Data," IBM Technical Disclosure Bulletin, IBM Corp.; 32(1): 46-49 (June 1989). |
| | Hsieh, et al., "Directional Deposition of Dielectric Silicon Oxide by Plasma Enhanced TEOS Process," 1989 Proceedings, Sixth International IEEE VLSI Multilevel Interconnection Conference, pp. 411-415 (1989). |
| | Runyan,W.R., "Deposition of Inorganic Thin Films," Semiconductor Integrated Circuit Processing Technology, p. 142 (1990). |
| | Hendricks, et al., "Polyquinoline Coatings and Films: Improved Organic Dielectrics for IC's and MCM's," <i>Eleventh IEEE/CHMT International Electronics Manufacturing Technology Symposium</i> ," pp. 361-265 (1991). |
| | Tessier, et al., "An Overview of Dielectric Materials for Multichip Modules," SPE, Electrical & Electronic Div.; (6): 260-269 (1991). |
| | Treichel, et al., "Planarized Low-Stress Oxide/Nitride Passivation for ULSI Devices," J. Phys IV, Colloq. (France), 1 (C2): 839-846 (1991). |
| | Vossen, John L., "Plasma-Enhanced Chemical Vapor Deposition," <i>Thin Film Processes II</i> , pp. 536-541 (1991). |
| | Sze, S.M., "Surface Micromachining," Semiconductor Sensors, pp. 58-63 (1994). |
| | Krishnamoorthy, et al., "3-D Integration of MQW Modulators Over Active Submicron CMOS Circuits: 375 Mb/s Transimpedance Receiver –Transmitter Circuit," IEEE Photonics Technology Letters, 2(11): 1288-1290 (November 1995). |
| | Tielert, et al., "Benefits of Vertically Stacked Integrated Circuits for Sequential Logic," IEEE, XP-000704550, 121-124 (December 5, 1996). |
| | "IC Tower Patent: Simple Technology Receives Patent on the IC Tower, a Stacked Memory Technology," http://www.simpletech.com/whatsnew/memory/@60824.htm (1998). |
| | "Miniature Electron Microscopes Without Vacuum Pumps, Self-Contained, Microfabricated Devices with Short Working Distances, Enable Operation in Air," NASA Tech Briefs, 39-40 (1998). |
| | Partial European Search Report for Application No. EP 02009643 (October 8, 2002). |

EXAMINER

DATE CONSIDERED